

Pod 3.0 Plus

Seven acoustic pods for private calls, focused work and team meetings. From one person to seven, all built to the same specification.

Certified. Sustainable. Smart. Built for Better Work.

30.1 dB

Speech level reduction to ISO 23351-1, Class A

98%

Recyclability rate per UL ECVP 2789

1.0 to 7.2 m²

Footprint range, phone booth to seven person meeting pod

The range at a glance

Front view · footprint in mm (W × D)



S Pod

Phone booth
1 person
1000 × 1000



P Pod

Personal pod
1 person
1250 × 1250



W Pod

Work pod
1 person
1400 × 1250



D Pod

Discussion pod
2 to 4 people
2200 × 1250



Q Pod

Quattro pod
Up to 4 people
2400 × 1600



C Pod

Collaboration pod
Up to 5 people
2400 × 2400



M Pod

Meeting pod
Up to 7 people
2400 × 3000

Standard across the range

Structure	1.2 mm electro galvanised steel
Exterior	Epoxy powder coating
Interior	Polyester fibre acoustic felt walls, fibre nylon carpet floor
Door	Aluminium frame with 9.52 mm tempered laminated glass, door closer
Rear glass	8 mm laminated glass, fixed
Height	2280 mm external, 2030 mm internal
Power	AH Meyer Netbox Flush: 1 power socket plus 2 USB C ports (65 W max). Rated 110 to 250 V, 20 A max
Light and air	4000K LED lighting. 118 CFM fans, count scaled to pod size. HEPA filtration
Sensors	12 V DC motion sensor with adjustable duration, occupancy indicator light

Interactive control hub

One touch panel inside every pod. Adjust light brightness, fan speed, sensor duration, occupancy light mode and intermittent air circulation.

Exterior colours



Interior options

Acoustic felt: Dark Grey, Light Grey

Carpet: Black, Silver

Sofa fabric: 13 colours

Colours on screen and in print are indicative. Ask us for physical samples.

Focus pods

For one person. Private calls, video meetings and long stretches of focused work, away from open office noise.



S Pod

Phone booth for calls, video conferences and quick private tasks



P Pod

More room than a phone booth, for calls and focused work without feeling cramped



W Pod

Seated work pod with a sliding desk and sofa, built for full workdays

Front view
Shown to scale

Capacity	1 person	1 person	1 person
Speech level reduction	30.1 dB, Class A	30.1 dB, Class A	30.1 dB, Class A
External W × D × H	1000 × 1000 × 2280	1250 × 1250 × 2280	1400 × 1250 × 2280
Internal W × D × H	830 × 910 × 2030	1080 × 1160 × 2030	1230 × 1160 × 2030
Worktop	820 × 320 × 25, melamine laminated wood, chamfered edge	1065 × 320 × 25, melamine laminated wood, black edging	1140 × 400 × 25, melamine laminated wood, black edging, sliding
Worktop height	1050 (standing or stool)	1050 (standing or stool)	730 (seated)
Seating	High stool, not included	High stool, not included	Sofa
Ventilation	2 fans, 118 CFM each	2 fans, 118 CFM each	2 fans, 118 CFM each
Lighting, 4000K LED	1 × 11 W	1 × 11 W	2 × 11 W
Air purifying	1 set HEPA filter	1 set HEPA filter	1 set HEPA filter
Data	1 × CAT 6 LAN outlet	1 × CAT 6 LAN outlet	1 × CAT 6 LAN outlet
Base	4 heavy duty castors, 4 adjustable foot caps	4 heavy duty castors, 4 adjustable foot caps	4 heavy duty castors, 4 adjustable foot caps
Power consumption	0.18 A	0.18 A	0.18 A
Net weight	266 kg	338 kg	364 kg
Packed weight	400 kg	548 kg	574 kg
Wooden crate W × D × H	2278 × 1138 × 668 1.74 m ³	2238 × 998 × 1396 3.493 m ³	2238 × 998 × 1396 3.493 m ³
Recyclability, UL ECVP 2789	95%	[ON REQUEST]	95%

Pick S Pod

when calls and video meetings are short and floor space is tight.

Pick P Pod

when people stay longer and want room to move.

Pick W Pod

when the pod becomes a desk for half a day or more.

Meeting pods

For two to seven people. Discussions, brainstorming and hybrid calls, with a closed door in the middle of an open plan office.


D Pod

Discussion pod


Q Pod

Quattro pod


C Pod

Collaboration pod


M Pod

Meeting pod

Front view
Shown to scale

Capacity	2 to 4 people	Up to 4 people	Up to 5 people	Up to 7 people
Speech level reduction	30.1 dB, Class A	28.9 dB, Class B	28.9 dB, Class B	28.9 dB, Class B
External W × D × H	2200 × 1250 × 2280	2400 × 1600 × 2280	2400 × 2400 × 2280	2400 × 3000 × 2280
Internal W × D × H	2030 × 1160 × 2030	2230 × 1510 × 2030	2230 × 2310 × 2030	2230 × 2910 × 2030
Table	700 × 550, H 740, chamfered edge	1050 × 700, chamfered edge	700 × 550, H 740, chamfered edge	2000 × 700, H 730
Seating	Sofa	Optional sofa	L shaped sofa	Furnished, or bare unit to fit out
Ventilation, 118 CFM each	4 fans	8 fans	12 fans	12 fans
Lighting, 4000K LED	2 × 11 W	2 × 21.6 W	2 × 29 W	2 × 40.5 W
Air purifying	2 sets HEPA filter	4 sets HEPA filter	6 sets HEPA filter	6 sets HEPA filter
Data	1 × CAT 6 LAN	1 × CAT 6 LAN	1 × CAT 6 LAN	1 × CAT 6 LAN
Base	4 castors, 6 adjustable foot caps	12 adjustable foot caps	18 adjustable foot caps	18 adjustable foot caps
Power consumption	0.33 A	0.4 A	0.47 A	0.47 A
Net weight	498 kg	681 kg	833 kg	915 kg
Shipping	673 kg, 1 crate 2278 × 1368 × 958 2.99 m ³	439 + 469 kg, 2 crates 2478 × 858 × 1158 2.46 m ³ each	566 + 543 kg, 2 crates 2378 × 1084 × 1274 3.24 m ³ each	566 + 543 kg, 2 crates 2378 × 1084 × 1274 3.24 m ³ each
Recyclability, UL ECVF 2789	96%	[ON REQUEST]	98%	98%

Find the right pod for your floor

Certified. Sustainable. Smart. Built for Better Work.

winpodacoustics.com/contact-us

+6012 282 8213

enquiries@wintech.com.my

Acoustic ratings: ISO 23351-1 speech level reduction, D S,A. TV screen not included with C Pod. All dimensions in mm. Specifications may change without notice. Manufactured by Wintech Metal Processing Sdn. Bhd., 180 Jalan 5, Kawasan Perindustrian Olak Lempit, 42700 Banting, Selangor, Malaysia.